



The Nature of Normal Science

Normal Science as Puzzle-solving

Perhaps the most striking feature of . . . normal research problems . . . is how little they aim to produce major novelties, conceptual or phenomenal. Sometimes, as in a wave-length measurement, everything but the most esoteric detail of the result is known in advance, and the typical latitude of expectation is only somewhat wider. Coulomb's measurements need not, perhaps, have fitted an inverse square law; the men who worked on heating by compression were often prepared for any one of several results. Yet even in cases like these the range of anticipated, and thus of assimilable, results is always small compared with the range that imagination can conceive. And the project whose outcome does not fall in that narrower range is usually just a research failure, one which reflects not on nature but on the scientist.

In the eighteenth century, for example, little attention was paid to the experiments that measured electrical attraction with devices like the pan balance. Because they yielded neither consistent nor simple results, they could not be used to articulate the paradigm from which they derived. Therefore, they remained *mere* facts, unrelated and unrelatable to the continuing progress of electrical research. Only in retrospect, possessed of a subsequent paradigm, can we see what characteristics of electrical phenomena they display. Coulomb and his contemporaries, of course, also possessed this later paradigm or one that, when applied to the problem of attraction, yielded the same expectations. That is why Coulomb was able to design apparatus that gave a result assimilable by paradigm articulation. But it is also why that result surprised no one and why several of Coulomb's contemporaries had been able to predict it in advance. Even the project whose goal is paradigm articulation does not aim at the *unexpected* novelty.

But if the aim of normal science is not major substantive novelties—if failure to come near the anticipated result is usually failure as a scientist—then

why are these problems undertaken at all? Part of the answer has already been developed. To scientists, at least, the results gained in normal research are significant because they add to the scope and precision with which the paradigm can be applied. That answer, however, cannot account for the enthusiasm and devotion that scientists display for the problems of normal research. No one devotes years to, say, the development of a better spectrometer or the production of an improved solution to the problem of vibrating strings simply because of the importance of the information that will be obtained. The data to be gained by computing ephemerides or by further measurements with an existing instrument are often just as significant, but those activities are regularly spurned by scientists because they are so largely repetitions of procedures that have been carried through before. That rejection provides a clue to the fascination of the normal research problem. Though its outcome can be anticipated, often in detail so great that what remains to be known is itself uninteresting, the way to achieve that outcome remains very much in doubt. Bringing a normal research problem to a conclusion is achieving the anticipated in a new way, and it requires the solution of all sorts of complex instrumental, conceptual, and mathematical puzzles. The man who succeeds proves himself an expert puzzle-solver, and the challenge of the puzzle is an important part of what usually drives him on.

The terms 'puzzle' and 'puzzle-solver' highlight several of the themes that have become increasingly prominent in the preceding pages. Puzzles are, in the entirely standard meaning here employed, that special category of problems that can serve to test ingenuity or skill in solution. Dictionary illustrations are 'jigsaw puzzle' and 'crossword puzzle,' and it is the characteristics that these share with the problems of normal science that we now need to isolate. One of them has just been mentioned. It is no criterion of goodness in a puzzle that its outcome be intrinsically interesting or important. On the contrary, the really pressing problems, e.g., a cure for cancer or the design of a lasting peace, are often not puzzles at all, largely because they may not have any solution. Consider the jigsaw puzzle whose pieces are selected at random from each of two different puzzle boxes. Since that problem is likely to defy (though it might not) even the most ingenious of men, it cannot serve as a test of skill in solution. In any usual sense it is not a puzzle at all. Though intrinsic value is no criterion for a puzzle, the assured existence of a solution is.

We have already seen, however, that one of the things a scientific community acquires with a paradigm is a criterion for choosing problems that, while the paradigm is taken for granted, can be assumed to have solutions. To a great extent these are the only problems that the community will admit as scientific or encourage its members to undertake. Other problems, including many that had previously been standard, are rejected as metaphysical, as the concern of another discipline, or sometimes as just too problematic to be worth the time. A paradigm can, for that matter, even insulate the community from those socially important problems that are not reducible to the puzzle form, because they cannot be stated in terms of the conceptual and instrumental tools the paradigm supplies. Such problems can be a distraction, a lesson brilliantly illustrated by several facets of seventeenth-century Baconianism and by

some of the contemporary social sciences. One of the reasons why normal science seems to progress so rapidly is that its practitioners concentrate on problems that only their own lack of ingenuity should keep them from solving.

If, however, the problems of normal science are puzzles in this sense, we need no longer ask why scientists attack them with such passion and devotion. A man may be attracted to science for all sorts of reasons. Among them are the desire to be useful, the excitement of exploring new territory, the hope of finding order, and the drive to test established knowledge. These motives and others besides also help to determine the particular problems that will later engage him. Furthermore, though the result is occasional frustration, there is good reason why motives like these should first attract him and then lead him on.¹ The scientific enterprise as a whole does from time to time prove useful, open up new territory, display order, and test long-accepted belief. Nevertheless, *the individual* engaged on a normal research problem is *almost never doing any one of these things*. Once engaged, his motivation is of a rather different sort. What then challenges him is the conviction that, if only he is skillful enough, he will succeed in solving a puzzle that no one before has solved or solved so well. Many of the greatest scientific minds have devoted all of their professional attention to demanding puzzles of this sort. On most occasions any particular field of specialization offers nothing else to do, a fact that makes it no less fascinating to the proper sort of addict.

Turn now to another, more difficult, and more revealing aspect of the parallelism between puzzles and the problems of normal science. If it is to classify as a puzzle, a problem must be characterized by more than an assured solution. There must also be rules that limit both the nature of acceptable solutions and the steps by which they are to be obtained. To solve a jigsaw puzzle is not, for example, merely "to make a picture." Either a child or a contemporary artist could do that by scattering selected pieces, as abstract shapes, upon some neutral ground. The picture thus produced might be far better, and would certainly be more original, than the one from which the puzzle had been made. Nevertheless, such a picture would not be a solution. To achieve that all the pieces must be used, their plain sides must be turned down, and they must be interlocked without forcing until no holes remain. Those are among the rules that govern jigsaw-puzzle solutions. Similar restrictions upon the admissible solutions of crossword puzzles, riddles, chess problems, and so on, are readily discovered.

If we can accept a considerably broadened use of the term 'rule'—one that will occasionally equate it with 'established viewpoint' or with 'preconception'—then the problems accessible within a given research tradition display something much like this set of puzzle characteristics. The man who builds an instrument to determine optical wave lengths must not be satisfied with a piece of equipment that merely attributes particular numbers to particular spectral lines. He is not just an explorer or measurer. On the contrary, he must show, by analyzing his apparatus in terms of the established body of optical theory, that the numbers his instrument produces are the ones that enter theory as wave lengths. If some residual vagueness in the theory or some unanalyzed component of his apparatus prevents his completing that demonstra-

tion, his colleagues may well conclude that he has measured nothing at all. For example, the electron-scattering maxima that were later diagnosed as indices of electron wave length had no apparent significance when first observed and recorded. Before they became measures of anything, they had to be related to a theory that predicted the wave-like behavior of matter in motion. And even after that relation was pointed out, the apparatus had to be redesigned so that the experimental results might be correlated unequivocally with theory.² Until those conditions had been satisfied, no problem had been solved.

Similar sorts of restrictions bound the admissible solutions to theoretical problems. Throughout the eighteenth century those scientists who tried to derive the observed motion of the moon from Newton's laws of motion and gravitation consistently failed to do so. As a result, some of them suggested replacing the inverse square law with a law that deviated from it at small distances. To do that, however, would have been to change the paradigm, to define a new puzzle, and not to solve the old one. In the event, scientists preserved the rules until, in 1750, one of them discovered how they could successfully be applied.³ Only a change in the rules of the game could have provided an alternative.

The study of normal-scientific traditions discloses many additional rules, and these provide much information about the commitments that scientists derive from their paradigms. What can we say are the main categories into which these rules fall?⁴ The most obvious and probably the most binding is exemplified by the sorts of generalizations we have just noted. These are explicit statements of scientific law and about scientific concepts and theories. While they continue to be honored, such statements help to set puzzles and to limit acceptable solutions. Newton's Laws, for example, performed those functions during the eighteenth and nineteenth centuries. As long as they did so, quantity-of-matter was a fundamental ontological category for physical scientists, and the forces that act between bits of matter were a dominant topic for research.⁵ In chemistry the laws of fixed and definite proportions had, for a long time, an exactly similar force—setting the problem of atomic weights, bounding the admissible results of chemical analyses, and informing chemists what atoms and molecules, compounds and mixtures were. Maxwell's equations and the laws of statistical thermodynamics have the same hold and function today.

Rules like these are, however, neither the only nor even the most interesting variety displayed by historical study. At a level lower or more concrete than that of laws and theories, there is, for example, a multitude of commitments to preferred types of instrumentation and to the ways in which accepted instruments may legitimately be employed. Changing attitudes toward the role of fire in chemical analyses played a vital part in the development of chemistry in the seventeenth century.⁶ Helmholtz, in the nineteenth, encountered strong resistance from physiologists to the notion that physical experimentation could illuminate their field.⁷ And in this century the curious history of chemical chromatography again illustrates the endurance of instrumental commitments that, as much as laws and theory, provide scientists with rules of the game⁸. . . .

Less local and temporary, though still not unchanging characteristics of science, are the higher level, quasi-metaphysical commitments that historical study so regularly displays. After about 1630, for example, and particularly after the appearance of Descartes's immensely influential scientific writings, most physical scientists assumed that the universe was composed of microscopic corpuscles and that all natural phenomena could be explained in terms of corpuscular shape, size, motion, and interaction. That nest of commitments proved to be both metaphysical and methodological. As metaphysical, it told scientists what sorts of entities the universe did and did not contain: there was only shaped matter in motion. As methodological, it told them what ultimate laws and fundamental explanations must be like: laws must specify corpuscular motion and interaction, and explanation must reduce any given natural phenomenon to corpuscular action under these laws. More important still, the corpuscular conception of the universe told scientists what many of their research problems should be. For example, a chemist who, like Boyle, embraced the new philosophy gave particular attention to reactions that could be viewed as transmutations. More clearly than any others these displayed the process of corpuscular rearrangement that must underlie all chemical change.⁹ Similar effects of corpuscularism can be observed in the study of mechanics, optics, and heat.

Finally, at a still higher level, there is another set of commitments without which no man is a scientist. The scientist must, for example, be concerned to understand the world and to extend the precision and scope with which it has been ordered. That commitment must, in turn, lead him to scrutinize, either for himself or through colleagues, some aspect of nature in great empirical detail. And, if that scrutiny displays pockets of apparent disorder, then these must challenge him to a new refinement of his observational techniques or to a further articulation of his theories. Undoubtedly there are still other rules like these, ones which have held for scientists at all times.

The existence of this strong network of commitments—conceptual, theoretical, instrumental, and methodological—is a principal source of the metaphor that relates normal science to puzzle-solving. Because it provides rules that tell the practitioner of a mature specialty what both the world and his science are like, he can concentrate with assurance upon the esoteric problems that these rules and existing knowledge define for him. What then personally challenges him is how to bring the residual puzzle to a solution. In these and other respects a discussion of puzzles and of rules illuminates the nature of normal scientific practice. Yet, in another way, that illumination may be significantly misleading. Though there obviously are rules to which all the practitioners of a scientific specialty adhere at a given time, those rules may not by themselves specify all that the practice of those specialists has in common. Normal science is a highly determined activity, but it need not be entirely determined by rules. That is why, at the start of this essay, I introduced shared paradigms rather than shared rules, assumptions, and points of view as the source of coherence for normal research traditions. Rules, I suggest, derive from paradigms, but paradigms can guide research even in the absence of rules.

NOTES

1. The frustrations induced by the conflict between the individual's role and the over-all pattern of scientific development can, however, occasionally be quite serious. On this subject, see Lawrence S. Kubie, "Some Unsolved Problems of the Scientific Career," *American Scientist*, XLI (1953), 596–613; and XLII (1954), 104–12.
2. For a brief account of the evolution of these experiments, see page 4 of C. J. Davisson's lecture in *Les prix Nobel en 1937* (Stockholm, 1938).
3. W. Whewell, *History of the Inductive Sciences* (rev. ed.; London, 1847), II, 101–5, 220–22.
4. I owe this question to W. O. Hagstrom, whose work in the sociology of science sometimes overlaps my own.
5. For these aspects of Newtonianism, see I. B. Cohen, *Franklin and Newton: An Inquiry into Speculative Newtonian Experimental Science and Franklin's Work in Electricity as an Example Thereof* (Philadelphia, 1956), chap. vii, esp. pp. 255–57, 275–77.
6. H. Metzger, *Les doctrines chimiques en France du début du XVII^e siècle à la fin du XVIII^e siècle* (Paris, 1923), pp. 359–61; Marie Boas, *Robert Boyle and Seventeenth-Century Chemistry* (Cambridge, 1958), pp. 112–15.
7. Leo Königsberger, *Hermann von Helmholtz*, trans. Francis A. Welby (Oxford, 1906), pp. 65–66.
8. James E. Meinhard, "Chromatography: A Perspective," *Science*, CX (1949), 387–92.
9. For corpuscularism in general, see Marie Boas, "The Establishment of the Mechanical Philosophy," *Osiris*, X (1952), 412–541. For its effects on Boyle's chemistry, see T. S. Kuhn, "Robert Boyle and Structural Chemistry in the Seventeenth Century," *Isis*, XLIII (1952), 12–36.